



IRWINS
QUALITY
AGGREGATES

IRWINS QUALITY AGGREGATES, 55 GORTGONIS ROAD, , CO TYRONE, BT71 4QG

2013

EN 13139:2013

AGGREGATES FOR MORTARS

PLASTERING SAND

PARTICLE SIZE 0/4. G_{F85}
TOLERANCE CATEGORY G_{TC10}
GRADING MP
FINES CONTENT f₃
FINES QUALITY SE(10)_{NR}

PARTICLE DENSITY:
APPARENT - 2.67 Mg/m³
OVEN DRIED - 2.65 Mg/m³
S.S.D - 2.66 Mg/m³

WATER ABSORPTION 0.3% (WA₂₄₁)
(% OF DRY MASS)

WATER SOLUBLE CHLORIDE <0.001%
(% BY MASS)

ACID SOLUBLE SULFATE 0.01% (AS_{0.2})
(AS SO₃ % BY MASS)

TOTAL SULFUR 0.01%
(AS S % BY MASS)

THE SUPPLIER—IRWINS QUALITY AGGREGATES—DECLARES THAT THE AGGREGATE ABOVE COMPLIES WITH THE REQUIREMENTS OF TABLE ZA.3b OF BSEN 13139:2013, IS SUITABLE FOR USE IN MORTARS AND HAS BEEN TESTED IN ACCORDANCE WITH CE REQUIREMENTS.

SIGNED: *Keith Donovan*

DIRECTOR